

NT 40/1 TACT BS

Our NT 40/1 Tact Bs bakery vacuum cleaner was developed specifically for the special requirements of bakeries and cake shops. The vacuum cleaner easily copes with large quantities of fine dust.



Order no. 1.148-340.0

- 40-l container, for bakeries and flour dust, antistatic preparation, push handle
- Automatic Tact filter cleaning, sturdy metal lock latches
- Crevice nozzle, Wet & Dry flat pleated filter

Technical data

EAN code		4054278224688
Number of current phases	Ph	1
Voltage	V	220 - 240
Frequency	Hz	50 - 60
Air flow	l/s	74
Vacuum	mbar / kPa	273 / 27.3
Container capacity	l	40
Rated input power	W	max. 1380
Standard nominal width		ID 40
Cable length	m	7.5
Sound pressure level	dB(A)	68
Colour		anthracite
Weight without accessories	kg	16.2
Weight incl. packaging	kg	19.5
Dimensions (L × W × H)	mm	650 × 370 × 1100

Scope of supply

Crevice nozzle
Flat pleated filter: PES with PTFE coating
Push handle

Equipment

Automatic cut-out features at max. filling quality
Container material: Plastic
Filter cleaning: Tact automatic filter cleaning system
Sturdy bumper
Protection class: II
Stop swivel castor
Antistatic preparation



Ideal for bakeries and cake shops

- Optional accessory kits specially for use in bakeries.



Special lock latches made from metal

- Allow certification as explosion-proof machine.
- Permit approval for vacuuming potentially hazardous flour dust.




Heat-resistant PES flat pleated filter

- Allows vacuuming of problematic dust in bakeries.

ACCESSORIES FOR NT 40/1 TACT BS

1.148-340.0



		Order no.	Description	
FLAT PLEATED FILTER, STANDARD, BIA C OR UP TO DUST CLASS M				
Flat pleated filter, PTFE				
Wet & Dry flat pleated filter, PES fibre material with PTFE coating, blue label	1	6.907-662.0	Wet & Dry flat pleated filter made from PES fibre material with PTFE coating with a blue label. Suitable for vacuuming liquids, fine dust and coarse dirt from the M and L dust classes.	■
SUCTION NOZZLES				
Crevice nozzles				
Crevice nozzle, NT Tact, DN 40, plastic, 225 mm	2	2.889-160.0	Crevice nozzle ID 40, for new Tact range.	■
Oven nozzles				
Oven nozzle	3	4.130-104.0	Aluminium, for cleaning ovens with squeegee 6.900-517.0 and support squeegee 6.900-518.0, each 2x.	☐
	4	4.130-173.0	For cleaning baking ovens with scratch bar.	☐
FILTER BAGS				
Fleece filter bags				
Fleece filter bags, 5 Piece(s), NT 40/1, NT 45/1, NT 55/1	5	6.907-480.0	Tear-resistant 3-layer fleece filter bags of dust class M, suitable for Kärcher wet and dry vacuum cleaners. Contents: 5-pack.	☐
	6	6.907-361.0	Tear-resistant fleece filter bags of dust class M, suitable for Kärcher wet and dry vacuum cleaners. Contents: 5-pack.	☐
SUCTION HOSES				
Suction hoses with cone connection				
Suction hose special application, NT, DN 35, length 2.5 m, temperature-resistant, cone, bayonet 1.0	7	4.440-731.0	The temperature-resistant specialist suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with all NT vacuum cleaners for bakeries.	☐
TARGET-GROUP-SPECIFIC ACCESSORY KITS FOR VACUUM CLEANERS				
Oven set, NT, DN 35	8	2.640-341.0	Extensive wet and dry accessory kit in nominal size DN 35 for Kärcher vacuum cleaners for cleaning ovens in bakeries. The oven kit comprises two suction tubes, a suction hose and a nozzle.	☐
Bakery kit, electrically conductive	9	2.640-436.0	Accessory kit for extraction and cleaning of bakeries, equipment, shelves, etc. Ideal for pastry shops, patisseries and similar applications.	☐

■ Included in the scope of supply. ☐ Available accessories.