

## NT 22/1 AP TE L

Perfect for tradespeople: NT 22/1 Ap wet and dry vacuum cleaner with power outlet (with auto-start feature), strong suction power and semi-automatic cleaning system. Compact, lightweight entry-level device.



**Order no.** 1.378-610.0

- 22-litre container, low weight, dust class L
- Semi-automatic Ap filter cleaning, device socket with automatic start
- 300 mm floor nozzle, crevice nozzle, PES cartridge filter, tool adapter

### Technical data

|                                   |                   |                 |
|-----------------------------------|-------------------|-----------------|
| <b>EAN code</b>                   |                   | 4054278287935   |
| <b>Number of current phases</b>   | <b>Ph</b>         | 1               |
| <b>Voltage</b>                    | <b>V</b>          | 220 - 240       |
| <b>Frequency</b>                  | <b>Hz</b>         | 50 - 60         |
| <b>Air flow</b>                   | <b>l/s</b>        | 72              |
| <b>Vacuum</b>                     | <b>mbar / kPa</b> | 249 / 24.9      |
| <b>Container capacity</b>         | <b>l</b>          | 22              |
| <b>Container material</b>         |                   | Plastic         |
| <b>Rated input power</b>          | <b>W</b>          | max. 1300       |
| <b>Standard nominal width</b>     |                   | ID 35           |
| <b>Cable length</b>               | <b>m</b>          | 6               |
| <b>Sound pressure level</b>       | <b>dB(A)</b>      | 72              |
| <b>Colour</b>                     |                   | anthracite      |
| <b>Weight without accessories</b> | <b>kg</b>         | 6.1             |
| <b>Weight incl. packaging</b>     | <b>kg</b>         | 9.3             |
| <b>Dimensions (L × W × H)</b>     | <b>mm</b>         | 380 × 370 × 480 |

### Scope of supply

|                                      |                      |
|--------------------------------------|----------------------|
| <b>Suction hose length:</b>          | 1.9 m                |
| <b>Bend:</b>                         | Plastic              |
| <b>Quantity of suction tubes:</b>    | 2 Piece(s)           |
| <b>Suction tubes length:</b>         | 505 mm               |
| <b>Suction tubes material:</b>       | Steel, chrome-plated |
| <b>Quantity of filter bags:</b>      | 1 Piece(s)           |
| <b>Filter bag material:</b>          | Fleece               |
| <b>Wet/dry floor nozzle width:</b>   | 300 mm               |
| <b>Crevice nozzle</b>                |                      |
| <b>Cartridge filter:</b>             | PES                  |
| <b>Power tool connection adapter</b> |                      |


### Equipment

|                                                     |                                   |
|-----------------------------------------------------|-----------------------------------|
| <b>Automatic switch-on/off for electric devices</b> |                                   |
| <b>Filter cleaning:</b>                             | Semi-automatic Ap filter cleaning |
| <b>Protection class:</b>                            | I                                 |
| <b>Stop swivel castor</b>                           |                                   |



## Low weight and compact dimensions

- The machine can be easily and conveniently transported and stored.



## Semi-automatic Ap filter cleaning

- Optimum filter cleaning efficiency at the push of a button.
- Enables consistently high filter performance and suction power.
- Time-saving design and longer filter service life.



## Moisture-resistant PES cartridge filter

- Easy switching between wet and dry vacuum cleaner operation.
- The PES cartridge filter does not need to be dried before use.
- Sustainability: the PES cartridge filter is washable.

## ACCESSORIES FOR NT 22/1 AP TE L 1.378-610.0



|                                                                                                                                        |    | Order no.   | Description                                                                                                                                                                                                            |   |
|----------------------------------------------------------------------------------------------------------------------------------------|----|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| <b>CARTRIDGE FILTER, STANDARD, UP TO BIA C, DUST CLASS M</b>                                                                           |    |             |                                                                                                                                                                                                                        |   |
| <b>Cartridge filter PES</b>                                                                                                            |    |             |                                                                                                                                                                                                                        |   |
| PES cartridge filter, for wet and dry vacuum cleaners                                                                                  | 1  | 2.889-219.0 | Moisture-resistant PES cartridge filter for wet and dry vacuum cleaning. Dust class L-certified.                                                                                                                       | ■ |
| <b>BENDS</b>                                                                                                                           |    |             |                                                                                                                                                                                                                        |   |
| <b>Bend, plastic</b>                                                                                                                   |    |             |                                                                                                                                                                                                                        |   |
| Bend, NT, DN 35, plastic, clip 2.0 at hose end, cone at accessory end                                                                  | 2  | 2.889-199.0 | DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.                                                                    | ■ |
| Bend with air-flow regulator, T, DN 35, plastic, antistatic, clip 2.0 at hose end, cone at accessory end                               | 3  | 2.889-148.0 | Antistatic, ergonomic bends with air-flow regulator in size DN 35 for dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.                             | □ |
| Bend, NT, DN 35, plastic, electrically conductive, clip 2.0 at hose end, cone at accessory end                                         | 4  | 2.889-168.0 | Electrically conductive, ergonomic plastic bend in size DN 35 for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.                         | □ |
| Bend, NT, DN 35, plastic, clip 2.0 at hose end, cone at accessory end                                                                  | 5  | 2.889-170.0 | Ergonomic DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.                                                          | □ |
| <b>SUCTION NOZZLES</b>                                                                                                                 |    |             |                                                                                                                                                                                                                        |   |
| <b>Floor nozzles</b>                                                                                                                   |    |             |                                                                                                                                                                                                                        |   |
| Wet/dry floor nozzle, DN 35, width 300 mm, with parking hook                                                                           | 6  | 2.899-811.0 | Plastic wet/dry floor nozzle with parking hook, brush strips and squeegees in DN 35. For wet and dry vacuuming of fine dust, coarse dirt or liquids. Width of 300 mm.                                                  | ■ |
| Wet/dry floor nozzle, Adv, DN 35, width 360 mm                                                                                         | 7  | 2.889-152.0 | For wet/dry cleaning: plastic Adv floor nozzle with width of 360 mm and nominal size of DN 35. Includes brush strips and squeegees that are easy to change.                                                            | □ |
| <b>Crevice nozzles</b>                                                                                                                 |    |             |                                                                                                                                                                                                                        |   |
| Crevice nozzle, DN 35, plastic, 225 mm long                                                                                            | 8  | 2.889-159.0 | Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.                                                                                                | ■ |
| <b>Car cleaning nozzles</b>                                                                                                            |    |             |                                                                                                                                                                                                                        |   |
| Ergonomic car nozzle, ID 35, 100 mm                                                                                                    | 9  | 2.889-356.0 | Ergonomic and compact DN 35 car cleaning nozzle made from plastic with a working width of 100 mm for vehicle interior cleaning. Suitable for all wet and dry vacuum cleaners with DN 35 bends.                         | □ |
| Car nozzle, ID 35, 90 mm                                                                                                               | 10 | 6.906-108.0 | Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.                                                             | □ |
| <b>Rubber suction tools, nose 45°</b>                                                                                                  |    |             |                                                                                                                                                                                                                        |   |
| Rubber suction tool, nose 45°                                                                                                          | 11 | 6.902-104.0 | 45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.                                                                                                     | □ |
| <b>SUCTION TUBES</b>                                                                                                                   |    |             |                                                                                                                                                                                                                        |   |
| <b>Suction tubes, metal</b>                                                                                                            |    |             |                                                                                                                                                                                                                        |   |
| Suction tube, DN 35, 505 mm long, chrome-plated steel, suitable for: T 7/1, T 10/1 T 12/1, NT 22/1, NT 30/1, NT 40/1, NT 50/1, NT 65/2 | 12 | 6.902-074.0 | Chrome-plated steel suction tube for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners, nominal width DN 35 and 505 mm long.                                                                                 | ■ |
| <b>Suction tubes, plastic</b>                                                                                                          |    |             |                                                                                                                                                                                                                        |   |
| Suction tube, 2 x, HV and NT, DN 35, 505 mm long, plastic, suitable for: HV 1/1 Bp, NT 22/1, NT 27/1, NT 48/1, ProNT 600 L             | 13 | 2.889-218.0 | The suction tube set consists of 2 suction tubes made of high-quality plastic (DN 35 and 505 mm long each). For the HV 1/1 Bp battery-powered hand vacuum cleaner as well as wet and dry vacuum cleaners from Kärcher. | □ |
| <b>CONNECTING SLEEVES</b>                                                                                                              |    |             |                                                                                                                                                                                                                        |   |
| <b>Connection adapter for power tools, clip connection</b>                                                                             |    |             |                                                                                                                                                                                                                        |   |
| Tool adapter for power tools, DN 35, clip 2.0                                                                                          | 14 | 2.889-151.0 | Tool adapter with rubber attachment and false air rotating ring suitable for regulating suction power when working with power tools. Compatible with suction hoses with clip 2.0 connection in DN 35.                  | ■ |

■ Included in the scope of supply. □ Available accessories.

## ACCESSORIES FOR NT 22/1 AP TE L 1.378-610.0



|                                                                                                     |    | Order no.   | Description                                                                                                                                                                       |                          |
|-----------------------------------------------------------------------------------------------------|----|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| <b>CONNECTING SLEEVES</b>                                                                           |    |             |                                                                                                                                                                                   |                          |
| <b>Connection adapter C ID (clip to cone)</b>                                                       |    |             |                                                                                                                                                                                   |                          |
| Adapter clip DN 35 on cone DN 35                                                                    | 15 | 5.407-005.0 | Adapter clip system DN 35 for connecting suction tubes and small nozzles to cone DN 35. Perfect for vehicle interior cleaning, even without the connection of other nozzles.      | <input type="checkbox"/> |
| <b>VACUUMS</b>                                                                                      |    |             |                                                                                                                                                                                   |                          |
| <b>Nozzles</b>                                                                                      |    |             |                                                                                                                                                                                   |                          |
| Flexible crevice nozzle                                                                             | 16 | 2.863-374.0 | Flexible crevice nozzle for cleaning hard-to-reach areas in the home, basement, workshop, car, etc. with Home & Garden wet and dry vacuum cleaners and spray extraction cleaners. | <input type="checkbox"/> |
| <b>FILTER BAGS</b>                                                                                  |    |             |                                                                                                                                                                                   |                          |
| <b>Fleece filter bags</b>                                                                           |    |             |                                                                                                                                                                                   |                          |
| Fleece filter bags, 5 Piece(s), NT 22/1                                                             | 17 | 2.889-217.0 | Tear-resistant 3-layer fleece filter bags of dust class L, suitable for Kärcher wet and dry vacuum cleaners. Contents: 5-pack.                                                    | <input type="checkbox"/> |
| <b>SUCTION HOSES</b>                                                                                |    |             |                                                                                                                                                                                   |                          |
| <b>Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)</b> |    |             |                                                                                                                                                                                   |                          |
| Suction hose, NT, DN 35, length 2.5 m, clip 2.0, bayonet 2.0                                        | 18 | 2.889-134.0 | The suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.                                                  | <input type="checkbox"/> |
| Suction hose, NT, DN 35, length 2.5 m, electrically conductive, clip 2.0, bayonet 2.0               | 19 | 2.889-136.0 | The electrically conductive suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.                                       | <input type="checkbox"/> |
| Extension hose, T and NT, DN 35, length 2.5 m, clip 2.0, connecting adapter                         | 20 | 2.889-145.0 | The extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners and dry vacuum cleaners from Kärcher.                        | <input type="checkbox"/> |
| <b>OTHER ACCESSORIES NT</b>                                                                         |    |             |                                                                                                                                                                                   |                          |
| Drilling dust nozzle                                                                                | 21 | 2.679-000.0 | Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.                                                         | <input type="checkbox"/> |
| Adapter clip new on clip old DN 35                                                                  | 22 | 2.889-312.0 | Adapter for connection of hoses of the new accessory system of dry and wet and dry vacuum cleaners to bends or extension hoses of the old system. For nominal width DN 35.        | <input type="checkbox"/> |

■ Included in the scope of supply.    □ Available accessories.