

HDS 8/18-4 C CLASSIC

HDS 8/18-4 C Classic hot water high-pressure cleaner in the compact class with a crankshaft pump, powerful 4-pole motor and robust tubular steel frame – outstanding price and performance.



Order No. 1.030-913.0

- Powerful design, water-cooled 4-pole electric motor with crankshaft pump
- Tubular steel frame with crane hook, 10-metre-long high-pressure hose
- Classic trigger gun and spray lance, 30-litre fuel tank, puncture-proof wheels

Technical data

EAN code		4054278956169
Number of phases	Phases	3
Voltage	Volt	400
Frequency	Hertz	50
Flow rate	Litres per hour	300 - 800
Working pressure	Bar / Mega pascal	30 - 180 / 3 - 18
Max. pressure	Bar	235
Temperature (feed 12 °C)	Celsius	Maximum 80
Connected load	Kilowatt	5.5
Consumption of fuel oil at full load	Kilograms per hour	5.2
Heating oil consumption, ecoefficiency	Kilograms per hour	4.2
Power cable	Metre	5
Fuel tank	Litre	30
Weight (with accessories)	Kilogram	123.719
Weight incl. packaging	Kilogram	133.7
Dimensions (L × W × H)	Millimetre	1075 × 722 × 915

This machine requires instruction.

Scope of supply

Spray gun: Standard hot water
Spray lance: 840 Millimetre
Power nozzle


Equipment

High-pressure hose length: 10 Metre
Pressure cut-off



Robust and long-lasting

- A robust tubular steel frame reliably protects the machine against damage.
- Good accessibility for easy service and maintenance.



Reliability

- Robust crankshaft pump with proven Kärcher quality.
- Proven safety technology such as thermo and safety valve and water filter.



Efficient burner engineering

- High degree of efficiency with low emissions and long life.
- Long work applications thanks to 30-l fuel tank.
- In the Eco mode, the unit operates in the most economical temperature range (60°C) with full water flow.

EQUIPMENT FOR HDS 8/18-4 C CLASSIC

1.030-913.0



		Order No.	Description	
TRIGGER GUNS				
Trigger guns				
Pistol TR 155°C with package	1	4.119-002.0	High-quality Classic spray gun with robust valve. Also suitable for Kärcher hot water high-pressure cleaners.	■
SPRAY LANCES				
Rotating spray lances				
Jet pipe with transport packaging, 840 Millimetre	2	4.119-003.0	Rotating Classic spray lance with ergonomic handle bowls in a robust and high-quality stainless steel design. Also suitable for Kärcher hot water high-pressure cleaners.	■
KÄRCHER POWER NOZZLE				
Power nozzle spray angle 25°				
Power nozzle , 042	3	2.113-007.0	Fan jet nozzle for large-area coverage and stubborn dirt and stains.	■
ROTARY NOZZLES (DIRT BLASTERS)				
Dirt blaster, large				
Dirt blaster Vibrasoft, 050	4	4.114-066.0	Vibrasoft rotary nozzle with rotating point jet for ten times greater cleaning performance. Durable dirt blaster thanks to ceramic nozzle. Reduces vibrations by up to 30% for maximum ergonomics.	□
Dirt blaster, large, 040	5	4.114-041.0	The dirt blaster with rotating pencil jet offers 10 times better cleaning performance. Ceramic nozzle and bearing ring for a long service life. Further data: Max. 300 bar, 30 MPa, 85°C.	□
ECO!BOOSTER				
eco!Booster TR 045	6	2.113-087.0	eco!Booster with 50% more area performance than the Kärcher power nozzle ¹ ; suitable for delicate surfaces. For cold and hot water high-pressure cleaners (nozzle size 045).	□
Eco!Booster MAX TR 045	7	2.113-096.0		□
ADD ON KITS				
Float tank attachment kit for HDS C/M/S-Class Classic	8	2.394-003.0	Float box attachment kit for Classic mobile hot water high-pressure cleaners in the Compact/Medium and Super Class. System care protects against lime deposits and corrosion.	□
Elapsed time counter attachment kit	9	2.853-192.0	Elapsed time counter attachment kit for determining the appliance running time.	□
SEALS FOR TRAPEZOIDAL THREAD				
Gasket set with 9x O-rings for TR thread	10	2.880-001.0		□
FOAM SYSTEMS				
Cup foam lance				
Cup foam lance Advanced 2, 700 Litres per hour - 800 Litres per hour	11	4.112-064.0	Developed for Kärcher high-pressure cleaners without servo control: The cup foam lance Advanced 2 impresses with a main body made of EcoBrass for use with aggressive cleaning agents.	□
HOSE REELS				
Hose reel add-on kit				
Add-on kit manual hose reel HDS C/M/S-Class Classic	12	2.639-353.0	Manual hose reel attachment kit for installation on the machine. For safe storage of the high-pressure hoses. Suitable for Classic HDS machines in the compact, medium and super classes.	□

■ Included in delivery. □ Available accessories.