

HD 4/8 CLASSIC

Mobile and compact HD 4/8 Classic high-pressure cleaner with reliable three-piston axial pump, automatic pressure relief, retractable pull handle and robust wheels.



Order no. 1.520-974.0

Technical data

EAN code		4054278722955
Number of current phases	Ph	1
Voltage	V	220
Frequency	Hz	50
Flow rate	l/h	400
Working pressure	bar	80
Weight without accessories	kg	14.4
Weight incl. packaging	kg	18.8
Dimensions (L × W × H)	mm	335 × 320 × 845

Scope of supply

Power nozzle

Equipment

3-piston axial pump: with stainless steel pistons



Compact design

- Very easy to transport thanks to its low weight.
- Space saving and easy to store.

Excellent reliability

- Automatic pressure relief protects hydraulic components.
- Proven high-pressure system and long-life motor.
- Internal components are protected effectively by the housing.

ACCESSORIES FOR HD 4/8 CLASSIC

1.520-974.0



		Order no.	Description	
TRIGGER GUNS				
Spray guns				
Pistol	1	9.751-376.0		■
KÄRCHER POWER NOZZLE				
Power nozzle spray angle 25°				
Power nozzle , 033	2	2.883-043.0		■
NOZZLE UNION / SPACER				
Nozzle union				
Nozzle connector	3	5.401-210.0	For protecting and connecting Kärcher power nozzles to spray lances (M 18 x 1.5 IG).	■
POWER GENERATOR				
PGG 3/1	4	1.042-207.0	Petrol-powered, with 2.8 kW power, puncture-proof wheels and 15 litre tank: Synchronous generator PGG 3/1 for up to 12 hours independent of external power sources in many different areas of use.	□
PGG 6/1	5	1.042-208.0	With a power rating of 5 kW, the petrol-operated synchronous generator PGG 6/1 impresses with up to 10 hours of independent power supply in many commercial and municipal applications.	□
SPRAY LANCES				
Spray lance				
Spray lance 850 mm	6	9.751-146.0	Galvanised spray lance with manual screw fitting for high-pressure cleaners in the Classic range from Kärcher. Not rotatable. Length: 850 mm.	□
ROTARY NOZZLES (DIRT BLASTERS)				
Dirt Blaster, small				
Dirt blaster, 035	7	4.767-230.0	The new performance dirt blaster (nozzle size 035) with rotating point jet makes a big difference: up to 50% higher cleaning and area performance than its predecessor.	□
MULTIPLE-JET NOZZLES				
Triple nozzles				
Triple nozzle, 033	8	4.767-146.0	Triple nozzle with manual nozzle changeover. Convenient spray adjustment. For high-pressure cleaners with injector, low-pressure fan jet for detergent removal and application. Connector M 18x1.5.	□
ECO!BOOSTER				
eco!Booster TR 033	9	2.113-085.0	eco!Booster with 50% higher area performance than the Kärcher power nozzle for cold and hot water high-pressure cleaners (nozzle size 033); ideal for delicate surfaces.	□
SEALS FOR TRAPEZOIDAL THREAD				
Gasket set with 9x O-rings for TR thread	10	2.880-001.0		□
FLOOR AND HARD SURFACE CLEANER				
FR Classic surface cleaner				
FR Classic surface cleaner	11	2.643-476.0	The ideal entry-level model in the Kärcher surface cleaner range for cleaning surfaces indoors and outdoors. With splash guard and up to 150 bar working pressure.	□
Machine-specific nozzle kits for FR Classic				
Nozzle kit for FR Classic, 034	12	2.885-313.0	Nozzle kit specifically for FR Classic surface cleaner.	□
FOAM SYSTEMS				
Cup foam lance				
Cup foam lance, 1200 l/h -	13	6.394-668.0	Short, handy foam lance with adjustable spray angle with 1 litre detergent tank. Ideal for cleaning cars due to its compact design.	□

■ Included in the scope of supply. □ Available accessories.