





PFP-150/PFP-100

PROGRAMMING FLASH POWER WITH 4 CHARGING MODES



LAUNCH PFP-150/PFP-100 Programming Flash Power is a must tool for vehicle diagnosis. It can prevent failure and abnormal during the process of programming due to low voltage. The applied synchronous rectification improves the efficiency of rectification.

FEATURES

- 6 Protection Modes: Reverse Protection, Short Circuit Protection, Low Voltage Protection, Overheat Protection, Overcharge Protection, Synchronous Rectification (220V/240V).
- Normal Mode: Select the charging mode according to the position of vehicle battery(inside or outside).
- Exhibit Mode: For continual charge with low current in showrooms.
- Programming Mode: Provide a stable voltage source for the car in need of programming or decoding, ranging from 12V to 16V.
- Hidden Repair Mode: Indicate whether the battery should be repaired or not. Work with various batteries, such AGM Battery, GEL Battery, Lithium Battery.

APPLICABLE VEHICLES















SPECIFICATION

ITEM	PFP-150	PFP-100
INPUT VOLTAGE	110V/220V	110V/220V
POWER	1800W	1200W
MAX.CURRENT	150A	100A
CHARGING VOLTAGE	12V	12V
PROGRAMMING MODE	12~14.8V/2~150A	12~14.8V/2~100A
ман	10~1800Ah	10~1200Ah
DIMENSION	440*410*140(mm)	440*410*140(mm)
ELECTRIC CABLE LENGTH	3m	3m
WEIGHT	9Kg	9Kg